















- Gan, G. 2011. General expressions for the calculation of air flow and heat transfer rates in tall ventilation cavities. *Building and Environment*, 46(10), 2069–2080.
- Hellström, B., Kvist, H., Håkansson, H., & Bülow-Hübe, H. 2007. Description of ParaSol v3.0 and comparison with measurements. *Energy and Buildings*, 39(3), 279–283.
- Hirunlabh, J., Kongduang, W., Namprakai, P., & Khedari, J. 1999. Study of natural ventilation of houses by a metallic solar wall under tropical climate. *Renewable Energy*, 18(1).
- Idelchik, I.E *Handbook of Hydraulic Resistance*, third ed., CRC Press Inc., 1994.
- Mayer, E., Künzle, H. 1983. Untersuchungen über die notwendige Hinterlüftung an Außenwandbekeidung aus großformatigen Bauteilen. Franhofer Institut für Bauphysik, Forschungsbericht B Ho 1/83, March.
- McAdams, W.H., 1994. *Heat Transmission*, 3rd Edition. McGraw- Hill, New York.
- Ong, K. S. 2003. A mathematical model of a solar chimney. *Renewable Energy*, 28(7), 1047–1060.
- Rodriguez J., D. Bruneau D., Guiavarch A., Gobbé C. 2007. Greenhouse-effect dehydration of a product wrapped in a semi-transparent, semi-permeable film : experimental approach and proposed approached model. *European Physical Journal – Applied Physics* 40, 95-112.