

be provided within minimum budget allocations, questioning the role of government authorities to ensure adequate housing conditions. The potential to reduce space heating down to nearly zero and provide thermal comfort all year-round could represent a significant contribution to improve indoor environmental performance and the quality of life of the urban poor, as well as open the debate towards energy autonomy by replacing combustion fuels with clean energy powered by solar energy technologies

ACKNOWLEDGMENTS

This study was carried out as part of a PhD thesis at the *Architectural Association School of Architecture* in London, UK. The author would like to thank to Prof. Simos Yannas and Prof. Paula Cadima for their supervision, support and fruitful advice. This research was supported by the National Commission for Scientific and Technological Research (CONICYT).

REFERENCES

- ASHRAE 62. (2005). *Ventilation for Acceptable Indoor air quality* (Vol. 8400). Atlanta: American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.
- Bustamante, W. (2009). *Guía de diseño para la eficiencia energética en la vivienda social* (p. 216). Santiago: Ministerio de Vivienda y Urbanismo, Gobierno de Chile.
- Bustamante, W., Cepeda, R., Martínez, P., & Hernan, S. M. (2006). Eficiencia energética en vivienda social : un desafío posible. In *Camino al bicentenario: doce propuestas para Chile* (pp. 253–282). Santiago.
- CENMA. (2011). *Evaluación de impacto atmosférico de sistemas de calefacción domiciliaria*. (J. Salim, Ed.). Santiago, Chile: Centro Nacional del Medio Ambiente (CENMA), Universidad de Chile.
- Cortes, A., & Ridley, I. (2012). Indoor Air Quality and Dwelling Air Tightness in a City Dependent on Wood Fuel as a Primary Energy Source. *Target*, (November), 1–6.
- De Dear, R., & Brager, G. S. (2001). The adaptive model of thermal comfort and energy conservation in the built environment. *International Journal of Biometeorology*, 45(2), 100–8.
- Felmer, G. (2014). *Adaptive Urban Social Housing: Developing Free-running Prototypes for Different Climates of Chile*. Architectural Association School of Architecture, London, UK.
- Figueroa, R., Bobadilla, A., Besser, D., Dias, M., Arriagada, R., & Espinoza, R. (2013). Air infiltration in Chilean housing : A baseline determination. In *Passive and Low Energy Architecture*. Concepcion.
- Hatt, T., Saelzer, G., Hempel, R., & Gerber, A. (2012). Alto confort interior con mínimo consumo energético a partir de la implementación del estándar “Passivhaus” en Chile. *Revista de La Construcción*, 12, 123–134.
- Méndez, P. (2008). Vulnerabilidad y Equidad: El Aporte de la Eficiencia Energetica. *Centro de Investigacion Social: Un Techo Para Chile*, 11, 40–46.
- MINVU. (2013). Subsidios para Construcción de Vivienda en Sitio Propio y Densificación Predial para Grupos Emergentes. *Ministerio de Vivienda y Urbanismo, gobierno de Chile*. Retrieved May 08, 2014, from <http://www.minvu.cl/>
- Müller, E. (2003). Manual for Passive Design of Dwellings in a Mediterranean Climate. In *Passive and Low Energy Architecture (PLEA)* (pp. 9–12). Santiago, Chile.
- Ruiz, P. a., Toro, C., Cáceres, J., López, G., Oyola, P., & Koutrakis, P. (2010). Effect of Gas and Kerosene Space Heaters on Indoor Air Quality: A Study in Homes of Santiago, Chile. *Journal of the Air & Waste Management Association*, 60(1), 98–108.